

L Number	Hits	Search Text	DB	Tim stamp
-	8	250/31	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/10 15:08
-	3417	250/311	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/10 15:09
-	54	250/311 and base and hollow	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/10 15:10
-	138	250/311 and hollow	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/10 15:10
-	10	250/311 and hollow and triang\$4	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/10 15:17
-	431	(250/\$).ccis. and hollow and triang\$4	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/10 15:38
-	333	((250/\$).ccis. and hollow and triang\$4) and (base or support or stand or holder)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/10 15:45

-	174	((250/\$).cccls. and h ll w and triang\$4) and (base r supp rt r stand r hold r)) and perpendicular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:24
-	104860	(250/\$).cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:25
-	86	(250/\$).cccls. and suspension adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:38
-	12	(250/\$).cccls. and eigenfrequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:40
-	4504	(250/\$).cccls. and vibration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:40
-	56	(250/\$).cccls. and vibration adj (damping or suppression)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:48
-	1222	(250/\$).cccls. and pneumatic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:49
-	43	(250/\$).cccls. and pneumatic and electron adj microscope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:55

-	166	(250/\$).cccls. and base adj structur	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:55
-	22	(250/\$).cccls. and base adj structure and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:31
-	1	"2370373".PN.	USPAT USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:08
-	1	"3772510".PN.	USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:18
-	6	(250/\$).cccls. and suspension adj system and electron adj microscope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:22
-	1	(250/\$).cccls. and base adj structure and hollow and electron adj microscope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:37
-	0	(250/\$).cccls. and electron adj microscope and force adj loaded	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:38
-	8	(250/\$).cccls. and force adj loaded	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:39
-	34790	hollow WITH cross adj section	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 18:55

-	217275	triangular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 18:55
-	16397	base adj structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 18:56
-	40	(hollow WITH cross adj section) AND triangular AND (base adj structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:05
-	21615	TEM OR "TRANSMISSION ELECTRON MICROSCOPE"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:05
-	91	(hollow WITH cross adj section) AND (TEM OR "TRANSMISSION ELECTRON MICROSCOPE")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:06
-	7033951	stand support base holder structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:30
-	467071	(stand support base holder structure) and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:36
-	217783	triangular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:36

-	31685	((stand support base holder structure) and hollow) and triangular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:37
-	37	((((stand support base holder structure) and hollow) and triangular) and (electron adj beam ion adj beam particle adj beam neutron adj beam)) and (250/\$).cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:46
-	234	((stand support base holder structure) and hollow) and triangular) and (electron adj beam ion adj beam particle adj beam neutron adj beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:53
-	181240	electron adj beam ion adj beam particle adj beam neutron adj beam	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:25
-	14752	(electron adj beam ion adj beam particle adj beam neutron adj beam) and (250/\$).cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:27
-	30	electron adj beam and triangle and pedestal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:34
-	61	electron adj beam and triangle and holder and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:34
-	101378	(stand support base holder structure) and ((spring or force) adj loaded)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:47

694	((stand support base holder structure) and ((spring or force) adj loaded)) and (electron adj beam ion adj beam particle adj beam neutron adj beam) and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:48
164	((stand support base holder structure) and ((spring or force) adj loaded)) and (electron adj beam ion adj beam particle adj beam neutron adj beam) and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:48
12998	tripod	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:49
828	camera adj tripod	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:00
2249	(( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccis.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:37
41	triangle and hollow and ((electron adj beam ion adj beam particle adj beam neutron adj beam) and (250/\$).ccis.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:15
8	triangle and hollow and (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccis.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:20
261	hollow and (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccis.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:38

16	I ctr n adj b am and (( 248/637 r 248/638 r 248/649 r 248/653 r 248/655 r 248/661 r 248/662 r 248/672 r 248/677 r 248/678).cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/19 19:21
5	(US-4860543-\$ or US-3814356-\$ or US-6646719-\$ or US-6490025-\$ or US-6193199-\$).did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/19 19:37
0	hollow and ((US-4860543-\$ or US-3814356-\$ or US-6646719-\$ or US-6490025-\$ or US-6193199-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/19 19:41
5	(( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).cccls.) and (250(\$).cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/19 19:46
502	(( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).cccls.) and level\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/19 19:46
91	(( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).cccls.) and level\$3 and feet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/19 19:47
8	(( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).cccls.) and level\$3 adj5 feet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/19 19:47
7048830	stand support base holder structure pedestal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/19 20:36

2249	( 248/637 r 248/638 r 248/649 r 248/653 or 248/655 r 248/661 or 248/662 r 248/672 r 248/677 r 248/678).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:37
107600	(250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:39
46533	((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )) and (stand support base holder structure pedestal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:41
16379	((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )) and (stand support base holder structure pedestal) and (tube or tubular or extruded or hollow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:43
1146	((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )) and (stand support base holder structure pedestal) and (tube or tubular or extruded or hollow) and (triangle or triangular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:45
181240	(electron adj beam ion adj beam particle adj beam neutron adj beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:48
14768	(electron adj beam ion adj beam particle adj beam neutron adj beam) and ((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:51
8150	(electron adj beam ion adj beam particle adj beam neutron adj beam) and ((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )) and (stand support base holder structure pedestal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:53



576	( I ctr n adj b am i n adj b am particl adj b am neutr n adj beam) and ((250/\$).cccls. r (( 248/637 r 248/638 r 248/649 r 248/653 r 248/655 r 248/661 or 248/662 or 248/672 or 248/677 or 248/678).cccls. )) and (stand support base holder structure pedestal) and (triangle or triangular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:26
2	"20040061066"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:29
4	"4044256"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:42